



SterlingTM
TAKES YOU TO THE NEXT LEVEL

BIO TECH, PHARMACY, PATHOLOGY
CATALOGUE

SERVING SCIENCE SINCE 1965

WHY STERLING

UNMATCHED QUALITY AT
AFFORDABLE PRICES

With your purchase you obtain the highest quality at the lowest prices.

SWIFT DELIVERY

All orders are processed on the same day of the receipt of technically & commercially clear purchase order. We have an extensive range of products on site in our warehouse and can deliver most of the equipment within just a few days.

REGULAR UPGRADATION

We at Sterling continue to develop new products and innovate our product processes. For that reason it might be the case that actual products sometime appear slightly different from the ones illustrated here in the catalogue.

QUALITY MANAGEMENT

Sterling has obtained a quality approval certification for service, products & organizational process according to ISO 9001:2008 quality management system.

WELCOME

TO THE WORLD OF STERLING. WE ARE SURE YOU WILL ENJOY MAKING YOUR SELECTION FROM OUR LATEST COLLECTION OF EDUCATIONAL GOODS.

As one of the leading manufactures & suppliers of scientific laboratory equipments Sterling manufacturing co. was established in 1965, till 1989 the concentration of the business was only in the domestic market., but with the opening of the Indian economy and liberalization policies started by the govt. of India.

The company established its export section and started to manufacture and export various science and educational requisites, colleges and international market. Since inception, what has changed, is the range of products we have introduced over the time to serve every need in the industry, We have our own-in-house manufacturing units, so as to have total control over Quality and Production with skilled staff.

STERLING™ dedication to the service of Scientific Educational Goods is the rich heritage of the company which continues today and will be fostered in future too.

FOR ADDITIONAL TECHNICAL SALES ENQUIRIES

Please call 0091 98120 40405, 00919671888088

Email : info@sterlingco.com



CONTACT INFORMATION



Off. : +91-171-2640405
(5 Huntinglines)
Sales : +91-171-2653125
Direct : +91-171-2630707
Ext. : +91-171-4001405
Factory: +91-171-4001905
GSM : +91-9812040405



0091-171-2653125



info@sterlingco.com
sales@sterlingco.com



Sterling Manufacturing Company
4365, Ground Floor, Science Market,
Ambala Cantt. - 133 001 (Hr.) INDIA



For on line Assistance / Helpline
from 10 to 6 IST all Working Days
sales@sterlingco.com



sterling.india



Ordering online is easier
www.sterlingco.com



SMC 80851
ANAEROBIC CULTURE JAR IN POLYCARBONATE JAR OF
3.5 LTR CAPACITY



SMC 80859
FLAME PHOTOMETER
(DIGITAL)



SMC 80852
COLONY COUNTER (DIGITAL), 4
Digit LED Display



SMC 80860
FLASK SHAKER (WRIST ACTION)
SMC 80860/1 4 FLASK
SMC 80860/2 8 FLASK



SMC 80853
COLORIMETER DIGITAL (8 Filter)



SMC 80861
HEATING MANTLE

	Capacity (ml.)	Wattage
SMC 80861/1	100	60
SMC 80861/2	250	150
SMC 80861/3	500	200
SMC 80861/4	1000	300
SMC 80861/5	2000	450
SMC 80861/6	3000	450
SMC 80861/7	5000	600



SMC 80854
WATER & SOIL ANALYSIS KIT
DIGITAL (Portable)

SMC 80862
HOT PLATE ELECTRIC: (ROUND), DIA
8"



SMC 80867
ENVIRONMENTAL CHAMBER
HUMIDITY CABINET (5-50 DEG C)



- SMC 80867/1 Inside Chamber 455 X 455 X 455mm, Cap.95 Ltr
- SMC 80867/2 Inside Chamber 455 X 455 X 710mm, Cap.147 Ltr
- SMC 80867/3 Inside Chamber 605 X 605 X 605mm, Cap.225 Ltr



SMC 80863
HOT PLATE (RECTANGULAR)

- SMC 80863/1 12" X 10"
- SMC 80863/2 16" X 10"
- SMC 80863/3 18" X 12"

SMC 80864
HUMIDITY CABINET

- SMC 80864/1 Inside Chamber 455 X 455 X 455mm, Cap.95 Ltr
- SMC 80864/2 Inside Chamber 455 X 455 X 710mm, Cap.147 Ltr
- SMC 80864/3 Inside Chamber 605 X 605 X 605mm, Cap.225 Ltr
- SMC 80864/4 Hygrometer (Humidity Indicator) For Humidity Cabinet
- SMC 80864/5 Digital Temp. Controller-cum-indicator For Humidity Cabinet



SMC 80870
INCUBATOR B.O.D.

- SMC 80870/1 Inner Chamber Size 455 X 410 X 610 Mm, Cap. 4cu. Ft. Or 112 Ltr, (aluminium)
- SMC 80870/2 Inner Chamber Size 455 X 410 X 610 Mm, Cap. 4cu. Ft. Or 112 Ltr, (stainless Steel)
- SMC 80870/3 Inner Chamber Size 505 X 451 X 830 Mm, Cap. 6cu. Ft. Or 171 Ltr, (aluminium)
- SMC 80870/4 Inner Chamber Size 505 X 451 X 830 Mm, Cap. 6cu. Ft. Or 171 Ltr, (stainless Steel)
- SMC 80870/5 Inner Chamber Size 565 X 565 X 865 Mm, Cap. 10cu. Ft. Or 280 Ltr, (aluminium)
- SMC 80870/6 Inner Chamber Size 565 X 565 X 865 Mm, Cap. 10cu. Ft. Or 280 Ltr, (stainless Steel)
- OPTIONAL
- SMC 80870/7 Timer 0-24 Hours Day Night Cycle
- SMC 80870/8 Internal Illumination With 3 Fluorescent Tubes
- SMC 80870/9 Digital Temp. Indicator-cum-controller
- SMC 80870/10 Microprocessor PID Digital Temp. Indicator-cum-controller





SMC 80871
KARL FISCHER
TITRIMETER (AUTO)



SMC 80875
MAGNETIC STIRRER
WITH HOT PLATE
SMC 80875/1 2 Ltr.
SMC 80875/2 5 Ltr.



SMC 80872
KAHN TYPE SHAKER (Horizontal
Shaker) RECIPROCATING SHAKING MACHINE

	Size Of Carrier	Strokes Per Min	Motor
SMC 80872/1	20" X 13" X 4"	150 To 250	0.25 hp
SMC 80872/2	36" X 18" X 4"	150 To 250	0.50 hp

SMC 80877
MELTING POINT APPARATUS
SMC 80877/1 Mechanical
Type



SMC 80873
LABORATORY STIRRER



SMC 80877/2 FULLY DIGITAL &
AUTO

SMC 80874
LABORATORY JACK, BOX TYPE (M.S)
SMC 80874/1 12X14 CM
SMC 80874/2 20X20 CM
SMC 80874/3 25X25 CM



SMC 80878
MOISTURE BALANCE
(INFRARED)
SMC 80878/1 5 gm
SMC 80878/2 10 gm
SMC 80878/3 25 gm





SMC 80879
MUFFLE FURNACE

INNER MUFFLE SIZE IN INCHES & MM

- SMC 80879/1 9" X 4" X 4" (225 X 100 X 100 mm)
- SMC 80879/2 10" X 5" X 5" (250 X 125 X 125 mm)
- SMC 80879/3 12" X 6" X 6" (300 X 150 X 150 mm)
- SMC 80879/4 14" X 7" X 5" (350 X 175 X 125 mm)
- SMC 80879/5 Optional : Digital Temperature Indicator-cum-controller



SMC 80883
SPECTROPHOTOMETER DIGITAL UV-VIS (SINGLE BEAM)

- SMC 80883/1 Max Make (with Software)
- SMC 80883/2 E.I. Make, Model 371

SMC 80880
MUFFLE FURNACE (INDUSTRIAL) 1200° C WITH DIGITAL CONTROLLER

INNER MUFFLE SIZE IN INCHES & MM

- SMC 80880/1 9" X 4" X 4" (225 X 100 X 100 MM)
- SMC 80880/2 10" X 5" X 5" (250 X 125 X 125 MM)
- SMC 80880/3 12" X 6" X 6" (300 X 150 X 150 MM)
- SMC 80880/4 12" X 8" X 8" (300 X 200 X 200 MM)
- SMC 80880/5 18" X 9" X 9" (450 X 225 X 225 MM)



SMC 80884
SPECTROPHOTOMETER DIGITAL (1nm)

- SMC 80884/1 Max Make
- SMC 80884/2 E.I. Make, Model 305



SMC 80881
ORBITAL SHAKING INCUBATOR CUM – B.O.D. INCUBATOR

- SMC 80881/1 Cap. 16 X 500ml. Temp. 5° Above Ambient To 60° C.
- SMC 80881/2 Cap. 16 X 500ml. Temp. Range 5° c To 60° c With Lighting Arrangement
- SMC 80881/3 Optional:- Digital Temp. Indicator-cum-controller



SMC 80885
THIN LAYER CHROMATOGRAPHY APPARATUS

SMC 80882
ROTARY SHAKER (PLATFORM TYPE)

- SMC 80882/1 25 Flasks Of 100ml
- SMC 80882/2 25 Flasks Of 250ml
- SMC 80882/3 15 Flasks Of 250ml



SMC 80886
TISSUE HOMOGENISER



SMC 80892
WATER BATH PRECISION (CONSTANT TEMP. CONTROL)

SMC 80892/1 Size (17" X 10" X 9") With Stirrer And Contact Thermometer
SMC 80892/2 Size (18" X 15" X 15") With Stirrer & Contact Thermometer



SMC 80889
U.V. CHROMATOGRAPHY
INSPECTION CABINET



SMC 80893
WATER BATH INCUBATOR SHAKER (METABOLIC SHAKING INCUBATOR)

SMC 80893/1 Tray Size 275 X 275 X 150mm (for 9 Flasks Upto 250ml)
SMC 80893/2 Tray Size 405 X 300 X 150mm (for 12 Flasks Upto 250ml)
SMC 80893/3 Optional :- Digital Temperature Indicator-cum-controller



SMC 80890
WATER BATH
(THERMOSTATIC DOUBLE WALL)
SMC 80890/1 6 hole of 75mm dia
SMC 80890/2 12 hole of 75mm dia



SMC 80894
VACUM PUMP (OIL FREE), PORTABLE DIAPHRAGM TYPE

	Motor Flow	Max Pressure (PSIG)	Motor
SMC 80894/1	15 Ltr/min	25	1/20 (H.P)
SMC 80894/2	25 Ltr/Min	35	1/16 (H.P)
SMC 80894/3	45 Ltr/Min	40	1/8 (H.P)
SMC 80894/4	Vacuum Gauge With Regulator For Above Pumps		



SMC 80891
SEROLOGICAL WATER BATH THERMOSTATIC CONTROL, INSIDE CHAMBER S.S.
SMC 80891/1 300 X 175 X 175mm (suitable For 1 Rack), 12 Ltr.
SMC 80891/2 300 X 250 X 175mm (suitable For 2 Racks), 14 Ltr.
SMC 80891/3 375 X 300 X 175mm (suitable For 4 Racks), 18 Ltr.



SMC 80895
VACUUM PUMP (OIL FILLED DOUBLE STAGE)

SMC 80895/1	Motor Flow	Motor
	45 Ltr./min	1/4 HP
SMC 80895/2	100 Ltr./min	1/3 HP



SMC 80898
WAX BATH PARAFFIN

SMC 80898/1	6 Cups & 8 Sleeves
SMC 80898/2	4 Cups & 6 Sleeves




SMC 80896
V.D.R.L. SHAKER



SMC 80897
VORTEX SHAKER
(TEST TUBE SHAKER)

SMC 80899
MOISTURE METER (DIGITAL)



SMC 80903
ROLLER MIXER
(with four rollers)



SMC 80900
MOISTURE METER FOR WOOD (ANALOG)

SMC 80901
MOISTURE METER FOR WOOD (DIGITAL)

SMC 80902
MOISTURE METER FOR SOIL (DIGITAL)

SMC90101

ABBE'S REFRACTOMETER

Measures R.I. 1.3 to 1.7; Accuracy 0.001 direct on scale & by estimation, sugar percentage 0 to 95% & accuracy 1 deg C by estimation. Measures dispersion & water circulation for constant temperature. Complete with test pieces, constant liquid thermometer with metallic jacket & Instrument manual



SMC90105

AMPOULE FILLING AND SEALING DEVICE

Syringe type motor driven giving ten ampoules per minutes. Capacity of filling adjustable from 1ml to 10ml by a cam lever arrangement. Automatic intake & outflow of fluid. All contact parts are of borosilicate glass. Consist of glass fusing burner for LPG with foot Below & Rubber tubing.

SMC 90102

HAND REFRACTOMETER

(ERMA); 0-32%, 28-62% 58-92% (any One)



SMC90106

AMPOULE WASHING DEVICE

Six jet nozzles & pan made of S.S. Spring loaded ampoule holding arrangement for various size of ampoules & tap to connect water from outside.



SMC90103

ACTIVITY CAGE (Actophotometer)

Consists of 6 builtin photo sensor & 4 digit counter. Measures spontaneous & induced activity or rats with digital totalizer.



SMC90107

ANALGESIOMETER

SMC90107/1 Radiant Heat type or Tail Flick type

SMC90107/2 Eddy's Hot Plate

SMC90104

AMPOULE CLARITY TEST EQUIPMENT

Black & White screen fitted on base with diffused light arrangement


Size : 24" x 12" x 18".

Upright with adjustable slide arm with clamp for holding a magnifier is provided.



SMC 90110

ANDERSON PIPETTE (Borosilicate Glass)



Fax Your Order Now

0091-171-2653125

SMC 90111
ANTIBIOTIC ZONE READER
SMC 90111/1 Digital



SMC 90111/2 Manual



SMC 90114
ARSENIC TEST APPARATUS


SMC 90115
ARGOGRAPH



SMC 90116
ASEPTIC CABINET (Wooden)
SMC 90116/1 1.5' U.V. tube & one fluorescent tube
SMC 90116/2 3' U.V. tube size & one fluorescent tube

SMC 90122
AUTOCLAVE (Vertical)
Double Wall Dia x Depth (Chamber Size), inner S.S.
Outer M.S.
SMC 90122/1 250x450mm, 22 Ltr.
SMC 90122/2 300x500mm, 40 Ltr.
SMC 90122/3 350x550mm, 50 Ltr.
SMC 90122/4 400x600mm, 78 Ltr.

Optional Accessories :-
SMC 90122/5 Automatic Low-Water Level Cut Off-Device
SMC 90122/6 Pressure Control Switch
SMC 90122/7 Water Level Arrangement
SMC 90122/8 Radical Lock



SMC 90131
BALL MILL
Electrically operated fitted with FHP motor, max. speed of 80 rpm. Having steel balls of different sizes to be put in jar for mixing & grinding power. (S.S.Jar)

SMC 90131/1 Cap 1 Kg
SMC 90131/2 Cap 2 Kg

SMC 90133
BOTTLE SEALING MACHINE
(Hand Operated)



SMC 90119
AUTOCLAVE (Portable) 12"
SMC 90119/1 Aluminium
SMC 90119/2 Stainless Steel



SMC 90134
BOTTLE WASHING MACHINE
SMC 90134/1 Table Top Model
SMC 90134/2 Floor Standing Model

SMC 90156
CONICAL PERCOLATOR
(S. S. Jar on stand) 1000ml



SMC 90167
DISSOLUTION RATE TEST APPARATUS
Consist of theromostatic control water bath which maintains temp. at 37°C with +0.5 Deg C variations. Provided with borosilicate vessel 1000 ml, variable speed motor, cylindrical wire mesh basket & shaft with blades of stainless steel.

- SMC 90167/1 Single Basket (Analog)
- SMC 90167/2 Single Basket (Digital RPM)



SMC 90158
DIGITAL POTENTIOMETER



- SMC 90172
DISTILLATION PLANT (Manesty Type), Wall Hanging
- SMC 90172/1 Stainless Steel, Output approx. 3/4 Ltr./Hr.
- SMC 90172/2 Stainless Steel, Output approx. 5/6 Ltr./Hr.

SMC 90161
DISINTEGRATOR (Hopper Dia 2")
Complete with suitable motor, fitted with 4 steel hammers fixed to disc through which passes a shaft. Hammers are enclosed in a drum.



SMC 90162
DISINTEGRATION TEST UNIT

- SMC 90162/1 Single Basket (Analog)
- SMC 90162/2 Double Basket (Analog)
- SMC 90162/3 Double Basket (Digital)
- SMC 90162/4 Single Basket (Digital)

SMC 90175
DISTILLATION APPARATUS (ALL GLASS)
Automatic electrically heated all glass distillation apparatus, heater embedded in spiral glass tube complete with C.I. heavy base, Rod, Clamps, Boards etc.

- SMC 90175/1 Single stage having flask of cap. 3 Litre
- SMC 90175/2 Single stage having flask of cap. 5 Litre
- SMC 90175/3 Single stage having flask of cap. 10 Litre
- SMC 90175/4 Double stage having flask of cap. 3 Litre
- SMC 90175/5 Double stage having flask of cap. 5 Litre
- SMC 90175/6 Double stage having flask of cap. 10 Litre
- SMC 90175/7 Automatic cut-off device for single distillation
- SMC 90175/8 Automatic cut-off device for double distillation





SMC 90137
BULK DENSITY APPARATUS
SMC 90137/1 Motor 1/6 HP, Cylinder cap.
50ml, Rpm Display : 3 digit
LED
SMC 90137/2 With Digital Revolution
Counter



SMC 90147
COLLAPSIBLE TUBE FILLING MACHINE (Hand
Operated)
Stroke type, barrel and piston arrangement with
stroke setting for various capacity of filling tubes
detachable nozzles provided for each separate
capacity. All contact parts are S.S. Built on cast
iron body. Cap. 5gm to 50 gm.




SMC 90144
POLE CLIMBING APPARATUS (COOK'S)
Outer chamber made of thick plywood with observation window &
inner made of clear acrylic sheet, with chrome plated brass bars at
bottom. A shock for controlled duration of 200V AC 50Hz single phase
0.2 Ma is built in & controlled by solid state timer.

SMC 90148
SOXHLET EXTRACTION APPARATUS
(Borosilicate Glass)
SMC 90148/1 Capacity 100ml
SMC 90148/2 Capacity 200ml
SMC 90148/3 Capacity 500ml



SMC 90145
CAPSULE FILLING MACHINE
A versatile lever operated semi automatic machine for various
operations.
(i) Plates for putting of capsules.
(ii) Removal of caps
(iii) Filling of powder by dispensing brush, pressing
(iv) Ejection of 100 capsules of 0,2 or 5 (any one size on order).
All Contact parts made of stainless steel.

SMC 90146
CLEVANGER APPARATUS
Cap. 1000 ml



SMC 90152
SOXHELT EXTRACTIONS UNITS (Without Glass Parts)
Cap upto 500ml, One Regulator
SMC 90152/1 3 Mantles (Mantle Type)
SMC 90152/1 6 Mantles (Mantle Type)
SMC 90152/3 Extra Regulator (Each)

SMC 90185
DOUBLE CONE BLENDER

SMC 90185/1 5 Kg Cap.
SMC 90185/2 10 Kg Cap.



SMC 90188
ELECTRONIC STIMULATOR
(0-30V)

SMC 90197
HOT AIR UNIVERSAL OVEN
(Mettler Type)

Double walled, Outer chamber made of M.S. Temp. upto 250 °C Acc. $\pm 1^\circ$ C
Thermostatic controlled, Heating Element on three sides.

	Inner Chamber	Size
SMC 90197/1	Aluminium	12"x12"x12"
SMC 90197/2	Stainless Steel	12"x12"x12"
SMC 90197/3	Aluminium	14"x14"x14"
SMC 90197/4	Stainless Steel	14"x14"x14"
SMC 90197/5	Aluminium	18"x18"x18"
SMC 90197/6	Stainless Steel	18"x18"x18"

Optional Accessories :-

SMC 90197/7	Air Circulating Fan
SMC 90197/8	Timer 0-24 hours
SMC 90197/9	Digital Temp. Indicator
SMC 90197/10	Digital Temp. Indicator-Cum-Controller



SMC 90189
FILTER APPARATUS

SMC 90189/1 (Millipore Type) Consists of Membrane support, funnel, flask & clamp. Standard Joint filling.


SMC 90189/2 (Simple Type) Consists of Porcelain Buchner Funnel fitted with Filter Flask by rubber bung.



SMC 90194
HAND GRINDING MILL

Table fixing with hardened grinding discs, provisions for coarse and fine grinding.

SMC 90196
HISTAMINE CHAMBER
(Complete with sphygmo-
manometer & Nebulizer)



SMC 90200
INCUBATOR BACTERIOLOGICAL

Double walled, outer chamber made of M.S. Heating Element on three sides. Temp. range 5 °C above ambient to 80 °C, $\pm 1^\circ$ C thermostatic Controlled.

	Inner	Chamber Size
SMC 90200/1	Aluminum	12"x12"x12"
SMC 90200/2	Stainless Steel	12"x12"x12"
SMC 90200/3	Aluminum	14"x14"x14"
SMC 90200/4	Stainless Steel	14"x14"x14"
SMC 90200/5	Aluminum	18"x18"x18"
SMC 90200/6	Stainless Steel	18"x18"x18"

Optional Accessories :-

SMC 90200/7	Air Circulating Fan
SMC 90200/8	Timer 0-24 hours
SMC 90200/9	Digital Temp. Indicator
SMC 90200/10	Digital Temp. Indicator-Cum-Controller





SMC 90216
LAMINAR AIR FLOW UNIT
Structure made of thick ply board with sunmica from outside & S.S. Workbench. Clear acrylic side panels & front door.

SMC 90216/A	HORIZONTAL UNIT
SMC 90216/1	60x60x60 cm
SMC 90216/2	90x60x60 cm
SMC 90216/3	120x60x60 cm
SMC 90216/B	VERTICAL UNIT
SMC 90216/5	60x60x60 cm
SMC 90216/6	90x60x60 cm
SMC 90216/7	120x60x60 cm



SMC 90227
LIQUID / BOTTLE
FILLING MACHINE



SMC 90229
MECHANICAL AGITATOR
(Propeller Type)




SMC 90225
LEAK TEST APPARATUS
Used for leakage test in medicine strip, sachet of tablets & capsules of powders. Made of S. S. provided with vacuum designed oil free vacuum pump, vacuum gauge with stop cock & timer switch.

SMC 90230
MILLIPORE FILTER 3 grades (Dia 47 mm) different positions.



SMC 90226
LIPSTICK MOULD



SMC 90231
OINTMENT SLAB
(made of glass sheet size 8"x8")




SMC 90232
 OINTMENT SPATULA OR DRUG SPATULA (Stainless Steel)
 SMC 90232/1 6" wide blade, stout, flexible, with wooden handle
 SMC 90232/2 8" wide blade, stout, flexible, with wooden handle



SMC 90238
 PHASE CONTRAST WITH
 BINOCULAR MICROSCOPE

SMC 90235
 OPERATION TABLE (Small)
 For guinea pigs, rabbits & cats. 30 x 30cms. S.S. Top




SMC 90236
 PARIEMETER



SMC 90239
 PLETHYSMOGRAPH



SMC 90237
 PERMEABILITY CUP




SMC 90240
 POLISHING PAN
 For use with coating pan. Made of M.S. & provided with inner lining of superior canvas cloth, inner Dia 12x8" high with opening of 7" Dia neck

SMC90243
REFLUX FLASK WITH CONDENSER (B-24 Joint)

SMC90243/1 Cap. 250 ml

SMC90243/2 Cap. 500 ml



SMC90246
ROTA ROD

SMC90246/1 Four Compartment

SMC90246/2 Three Compartment

SMC90246/3 Two Compartment




SMC 90255
SPIROMETER

SMC 90256
STERILITY TEST APPARATUS



SMC 90250
SIEVE SHAKER (Gratory Type)



SMC90257
ORGAN BATH

SMC90257/1 Double Unit

SMC90257/2 Single Unit

SMC90260
SUPPOSITORY MOULD (Brass)

SMC90260/1 4 Hole, 1 gm

SMC90260/2 6 Hole, 1 gm

SMC90260/3 12 Hole, 1 gm


SMC90260/4 4 Hole, 1.5 gm

SMC90260/5 6 Hole, 1.5 gm

SMC90260/6 4 Hole, 2 gm

SMC90260/7 6 Hole, 2 gm

SMC90260/8 12 Hole, 2 gm



SMC 90253
SONICATOR (Ultra
Sonic Bath), 3 Ltr Cap.

SMC90266

TABLET MAKING MACHINE (Punching Machine)

Single punch for making Tablets up to 1000 mg as per size of die & punch 6,9,& 12mm. Automatic compression & ejection device with each revolution of the wheel drive. Built on heavy cast iron body with eccentric pressure system. Stainless steel hopper provided & connected by a Rubber type. Easy setting for thickness & hardness of tablets with lock nuts. Die & set of punches are chromium steel.

SMC90266/1 Hand Operated

SMC90266/2 Electrically Operated

SMC90266/3 Spare Die & Punches of sizes 6, 9 and 12 mm (any one size)



SMC90277

TABLET HARDNESS TESTER

SMC90277/1 Monsanto Type



SMC90277/2

Pfizer Type



SMC90270

TABLET COATING PAN

12" Dia stainless steel, the machine worked by oil immersed gearbox, with F.H. Motor drive. Air blower is operated independently & air is thermostatically controlled to give temperature 30 to 110 degrees. Switches for motor, blower, heater and Thermostat are fixed on a panel with neon indicators. Also mains lead with 15 amps plug provided.



SMC90280

TELE THERMOMETER

SMC90280/1 with Single Probe

SMC90280/2 with 6 Probe

SMC90271

TABLET COUNTER

Suitable for 100 tablet



SMC90272

TABLET FRIABILITY TEST APPARATUS

Determines the durability of tablets from the time of production to the time of use. The drum rotates at a speed of 30 rpm by a geared motor & is controlled by a timer.

SMC90272/1 Single Drum (Analog)

SMC90272/2 Double Drum (Analog)

SMC90272/3 Single Drum (Digital)


SMC90272/4 Double Drum (Digital)



SMC90289

WATER DEIONIZATION UNIT
(Flow Cap. 50 Ltr./hr.)

Consists of two plastic column charged with high exchange capacity Cation & Anion resins. Analog Conductivity meter with cell is provided to monitor water.



SMC 90500
BABY SCALE, 10KG (BRAUN)




SMC 90505
COUNTER HAND TALLY



SMC 90501
BLOOD CELL COUNTER



SMC 90506
DROPPER
SMC 90506/1 Glass With Rubber Teat
SMC 90506/2 Plastic 3 ml



SMC 90502
BLOOD LANCET,
IMPORTED (PK. OF 200)



SMC 90507
E.S.R TUBE



SMC 90503
CLINICAL THERMOMETER



SMC 90507/1
E.S.R TUBE STAND, 6 TUBES

SMC 90504
COUNTING CHAMBER



SMC 90508
HAEMOCYTOMETER COMPLETE
SET IN VELVET BOX



SMC 90509
HAEMOMETER (H.B.METER)



SMC 90510
HAEMOMETER TUBE(ROUND)

SMC 90511
WINTROBE TUBE
(GERMAN)



SMC 90512
HAEMOMETER PIPETTE (H.B.PIPETTE)



SMC90513
HEIGHT MEASURING STAND

SMC 90513/1 Height Measuring Stand
With Weighing Machine

SMC 90513/2 Height Measuring Stand
Without Weighing
Machine



SMC90514
MICROPIPETETTE

SMC 90514/1 Variable e.g. 10-100ul, 100-
1000ul Etc.



SMC 90514/2 Fixed e.g. 10ul, 50ul Etc.



SMC 90515
MICROPIPETETTE STAND





SMC 90516
MICROTIP
SMC90516/1 Small, pk. OF 1000
Range 0-200ul
SMC90516/2 Big, pk. OF 500 Range
200-1000ul




SMC 90520
SPHYGMOMANOMETER (BP APPARATUS)
SMC 90520/1 Dial Type

SMC 90517
PERSONAL WEIGHING SCALE
SMC 90517/1 Model Round
Shape



SMC 90520/2 Mercury Type




SMC 90517/2 Model Square
Shape




SMC 90521
STETHOSCOPE

SMC 90518
R.B.C or W.B.C TUBE



SMC 90522
THERMO HYGROMETER, DIGITAL



SMC 90519
SLIDE TRAY
(ALUMINIUM)



SMC 90523
TIMER ELECTRONIC,
(IMPORTED)

INDEX

A

ABBE'S REFRACTOMETER	7
ACTIVITY CAGE (Actophotometer)	7
AMPOULE CLARITY TEST EQUIPMENT	7
AMPOULE FILLING AND SEALING DEVICE	7
AMPOULE WASHING DEVICE	7
ANAEROBIC CULTURE JAR IN P.C JAR OF 3.5 LTR CAP	1
ANALGESIOMETER	7
ANDERSON PIPETTE (Borosilicate Glass)	7
ANTIBIOTIC ZONE READER	8
ARGOGRAPH	8
ARSENIC TEST APPARATUS	8
ASEPTIC CABINET (Wooden)	8
AUTOCLAVE (Portable) 12"	8
AUTOCLAVE (Vertical)	8

B

BABY SCALE, 10KG (BRAUN)	16
BALL MILL	8
BLOOD CELL COUNTER	16
BLOOD LANCHET, IMPORTED (PK. OF 200)	16
BOTTLE SEALING MACHINE (Hand Operated)	8
BOTTLE WASHING MACHINE	8
BULK DENSITY APPARATUS	9

C

CAPSULE FILLING MACHINE	9
CLEVENGER APPARATUS Cap. 1000 ml	9
CLINICAL THERMOMETER	16
COLLAPSIBLE TUBE FILLING MACHINE (Hand Operated)	9
COLONY COUNTER (DIGITAL), 4 Digit LED Display	1
COLORIMETER DIGITAL (8 Filter)	1
CONICAL PERCOLATOR	10
COUNTER HAND TALLY	16
COUNTING CHAMBER	16

D

DIGITAL POTENTIOMETER	10
DISINTEGRATION TEST UNIT	10
DISINTEGRATOR (Hopper Dia 2")	10
DISSOLUTION RATE TEST APPARATUS	10
DISTILLATION APPARATUS (ALL GLASS)	10
DISTILLATION PLANT (Manesty Type), Wall Hanging	10
DOUBLE CONE BLENDER	11
DROPPER	16

E

E.S.R TUBE	16
E.S.R TUBE STAND. (6 TUBES)	16
ELECTRONIC STIMULATOR (0-30V)	11
ENVIRONMENTAL CHAMBER HUMIDITY CABINET (5-50)	2

F

FILTER APPARATUS	11
------------------	----

FLAME PHOTOMETER (DIGITAL)	1
FLASK SHAKER (WRIST ACTION)	1

H

HAEMOCYTOMETER COMPLETE SET IN VELVET BOX	16
HAEMOMETER (H.B.METER)	17
HAEMOMETER PIPETTE (H.B.PIPETTE)	17
HAEMOMETER TUBE(ROUND)	17
HAND GRINDING MILL	11
HAND REFRACTOMETER (ERMA)	7
HEATING MANTLE	1
HEIGHT MEASURING STAND	17
HISTAMINE CHAMBER	11
HOT AIR UNIVERSAL OVEN (Memmert Type)	11
HOT PLATE (RECTANGULAR)	2
HOT PLATE ELECTRIC: (ROUND), DIA 8"	2
HUMIDITY CABINET	2

I

INCUBATOR B.O.D.	2
INCUBATOR BACTERIOLOGICAL	11

K

KAHN TYPE SHAKER (Horizontal Shaker) RECIPROCATING SHAKING MACHINE	3
KARL FISCHER TITRIMETER (AUTO)	3

L

LABORATORY JACK, BOX TYPE (M.S)	3
LABORATORY STIRRER	3
LAMINAR AIR FLOW UNIT	12
LEAK TEST APPARATUS	12
LIPSTICK MOULD	12
LIQUID / BOTTLE FILLING MACHINE	12

M

MAGNETIC STIRRER WITH HOT PLATE	3
MECHANICAL AGITATOR (Propeller Type)	12
MELTING POINT APPARATUS	3
MICROPIPETTE	17
MICROPIPETTE STAND	17
MICROTIP	18
MILLIPORE FILTER 3 grades	12
MOISTURE BALANCE (INFRARED)	3
MOISTURE METER FOR WOOD (ANALOG)	6
MOISTURE METER (DIGITAL)	6
MUFFLE FURNACE	4
MUFFLE FURNACE (INDUSTRIAL) W DIGITAL CONTROLLER	4

O

OINTMENT SLAB	12
OINTMENT SPATULA OR DRUG SPATULA (Stainless Steel)	13
OPERATION TABLE (Small)	13
ORBITAL SHAKING INCUBATOR CUM – B.O.D. INCUBATOR	4
ORGAN BATH	14

INDEX

P

PARIEMETER	13
PERMEABILITY CUP	13
PERSONAL WEIGHING SCALE	18
PHASE CONTRAST WITH BINOCULAR MICROSCOPE	13
PLETHYSMOGRAPH	13
POLE CLIMBING APPARATUS (COOK'S)	9
POLISHING PAN	13

R

R.B.C or W.B.C TUBE	18
REFLUX FLASK WITH CONDENSER (B-24 Joint)	14
ROLLER MIXER (with four rollers)	6
ROTA ROD	14
ROTARY SHAKER (PLATFORM TYPE)	4

S

SEROLOGICAL WATER BATH THERMOSTATIC CONTROL, INSIDE CHAMBER S.S.	5
SIEVE SHAKER (Gratory Type)	14
SLIDE TRAY (ALUMINIUM)	18
SONICATOR (Ultra Sonic Bath)	14
SOXHELT EXTRACTIONS UNIT (W/O Glass Parts) 500ml, One Regulator	9
SOXHLET EXTRACTION APPARATUS (Borosilicate Glass)	9
SPECTROPHOTOMETER DIGITAL (1nm)	4
SPECTROPHOTOMETER DIGITAL UV-VIS (SINGLE BEAM)	4
SPHYGMOMANOMETER (BP APPARATUS)	18
SPIROMETER	14
STERILITY TEST APPARATUS	14
STETHOSCOPE	18
SUPPOSITORY MOULD (Brass)	14

T

TABLET COATING PAN	15
TABLET COUNTER Suitable for 100 tablet	15
TABLET FRIABILITY TEST APPARATUS	15
TABLET HARDNESS TESTER	15
TABLET MAKING MACHINE (Punching Machine)	15
TELE THERMOMETER	15
THERMO HYGROMETER, DIGITAL	18
THIN LAYER CHROMATOGRAPHY APPARATUS	4
TIMER ELECTRONIC, (IMPORTED)	18
TISSUE HOMOGENIZER	5

U

U.V. CHROMATOGRAPHY INSPECTION CABINET	5
--	---

V

V.D.R.L. SHAKER	6
VACUUM PUMP (OIL FREE), PORTABLE DIAPHRAGM TYPE	5
VACUUM PUMP (OIL FILLED DOUBLE STAGE)	6
VORTEX SHAKER (TEST TUBE SHAKER)	6

W

WATER & SOIL ANALYSIS KIT DIGITAL (Portable)	1
WATER BATH (THERMOSTATIC DOUBLE WALL)	5
WATER BATH INCUBATOR SHAKER (METABOLIC SHAKING INCUBATOR)	5
WATER BATH PRECISION (CONSTANT TEMP. CONTROL)	5
WATER DEIONIZATION UNIT (Flow Cap. 50 Ltr. /hr.)	15
WAX BATH PARAFFIN	6
WINTROBE TUBE (GERMAN)	17



ALSO DEALS IN
BIOLOGY, CHEMISTRY, HOSPITAL FURNITURE, SURGICAL INSTRUMENTS, MICROSCOPES

STERLING MANUFACTURING COMPANY

4365, Ground Floor, Science Market Ambala Cantt - 133001 (HARYANA) INDIA
Ph. : 0091-171-2640405, 4001405, 4001905,2630707, Fax: 0091-171-2653125
Website : www.sterlingco.com Email: info@sterlingco.com